



With industry-best technology and features, the new V32 Elite Dust Extractors take dust collection to a new level of performance and productivity.



NEW FEATURES

FOUR-STAGE DUST COLLECTION

FOR A DRAMATIC INCREASE IN CLEANING EFFICIENCY

- ✓ Integrated pre-separator;
- ✓ Second cyclone around the conical filter in the filter chamber, which captures the midsized particles;
- ✓ Conical M class filter;
- √ Hepa filter H13 as a last filtration point;
- ✓ **INTEGRATED EMERGENCY LAMP** reminds the operator to clean filter.

✓ OPTION TO UPGRADE TO AUTOMATIC CLEANING

- ✓ Conical filter with high air permeability and large filter area for better suction and longer working time between cleaning intervals. Large filter area.
- ✓ Easy to access HEPA H13 filter to separate 99.95% of particles 0.15-0.23 µm.
- ✓ Lighter and more compact body design.
- ✓ New, easier to mount longopack holders.

















MODEL	V32E230	V32E480	V32EU
Motor	Turbine motor	Turbine motor	Turbine motor
Voltage	3 phase, 208V, 60 Hz	3 phase, 480V, 60 Hz	3 phase, 380V, 50 Hz
Amperage	30.4 Amp	17.5 Amp	16.9 Amp
Distribution Plug	55 Amp	32 Amp	32 Amp
Motor Power	11.5hp / 8.6kW	11.5hp / 8.6kW	10hp / 7.5kW
Main Filter	Conical Filter	Conical Filter	Conical Filter
Filter Surface	$53.8 \text{ ft}^2 / 5 \text{ m}^2$	$53.8 \text{ ft}^2 / 5 \text{ m}^2$	$53.8 \text{ ft}^2 / 5 \text{ m}^2$
Filter Cleaning	Manual (opt. Auto)	Manual (opt. Auto)	Manual (opt. Auto)
Hepa Surface	43 ft ² / 4 m ²	43 ft ² / 4 m ²	43 ft ² / 4 m ²
Airflow (max)	490 cfm 840 m³/h	490 cfm 840 m³/h	447 cfm 760 m³/h
Vacuum (max)	112.5 water lift 0.28 bar	112.5 water lift 0.28 bar	112.5 water lift 0.28 bar
Longopac	yes	yes	yes
Main Vacuum Hose	3 in x 32 ft 75 mm x 10 m	3 in x 32 ft 75 mm x 10 m	3 in x 32 ft 75 mm x 10 m
Hose for Wand	2 in x 21.3 ft 50 mm x 6.6m	2 in x 21.3 ft 50 mm x 6.6m	2 in x 21.3 ft 50mm x 6.6m
Dimensions	51 x 32 x 70 in 130 x 80 x 178 cm	51 x 32 x 70 in 130 x 80 x 178 cm	51 x 32 x 70 in 130 x 80 x 178 cm
Weight	620lbs / 280kg	620lbs / 280kg	620lbs / 280kg



MODEL	V32GE	
Propane Engine	Kawasaki FX600V	
Engine Capacity	603cc / 36.8 cu.in.	
Propane Tank Capacity	20 lbs / 9 kg	
Main Filter	Conical Filter	
Filter Surface Area	$53.8 \text{ ft}^2 / 5 \text{ m}^2$	
Filter Cleaning	Manual (opt. Auto)	
Hepa Surface Area	$43 \text{ ft}^2 / 4 \text{ m}^2$	
Airflow (max)	470.9 cfm 800 m³/h	
Vacuum (max)	112.5 water lift 0.28 bar	
Longopac	yes	
Main Vacuum Hose	3 in x 32 ft 75 mm x 10 m	
Hose for Wand	50mm x 6.6m 2 in x 21.3 ft	
Dimensions L x W x H	51 x 31.5 x 70 in 130 x 80 x 178 cm	
Weight	730lbs / 330kg	

V32GE PROPANE DUST EXTRACTOR



